bilstein

## Ferdinand Bilstein GmbH + Co. KG

Date printed 21.02.2023, Revision 21.02.2023

	Product identifier	
		automatic transmission fluid (ATF) Article number: 34608, 38935, 38936, 38937
.2	Relevant identified uses of th	e substance or mixture and uses advised against
.2.1	Relevant uses	
		Lubricant
.2.2	Uses advised against	
	C C	None known.
.3	Details of the supplier of the	safety data sheet
	Company	Ferdinand Bilstein GmbH + Co. KG Wilhelmstr. 47 58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com
	Address enquiries to	
	Technical information	info@febi.com
	Safety Data Sheet	info@febi.com
.4	Emergency telephone numbe	r
	Advisory body	+49 (0)89-19240 (24h) (English)
SEC	TION 2: Hazards identification	
2.1	Classification of the substant	ce or mixture [REGULATION (GB) CLP] No classification.
	Label elements	
2.2		
2.2		The product is required to be labelled in accordance with regulation CLP.
2.2	Hazard pictograms	The product is required to be labelled in accordance with regulation CLP. none
2.2		
2.2	Hazard pictograms	none
2.2	Hazard pictograms Signal word	none
2.2	Hazard pictograms Signal word Hazard statements	none none
	Hazard pictograms Signal word Hazard statements Precautionary statements	none none none none
	Hazard pictograms Signal word Hazard statements Precautionary statements Special labelling	none none none none
2.2 2.3	Hazard pictograms Signal word Hazard statements Precautionary statements Special labelling Other hazards	none none none EUH210 Safety data sheet available on request. Does not contain any PBT or vPvB substances.

not applicable

Date printed 21.02.2023, Revision 21.02.2023

## 3.2 Mixtures

	Range [%] Substa	ance	
	50 - < 100 Lubrica	cating oils (petroleum), C20-50, hydrotreated neutral oil-based	
		72623-87-1, EINECS/ELINCS: 276-738-4, EU-INDEX: 649-483-00-5, Reg-No.: 01-2119474889-13-XXXX	
	GHS/C	CLP: Asp. Tox. 1: H304	
	Comment on component	t parts Contains less than 3% w/w DMSO-extract (only for mineral oils) Substances of Very High Concern - SVHC: substances are not contained or are below 0.1% For full text of H-statements: see SECTION 16.	
EC	TION 4: First aid measu	ures	
1	Description of first aid measures		
	General information	Take off contaminated clothing and wash before reuse.	
	Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.	
	Skin contact	When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.	
	Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
	Ingestion	Do not induce vomiting. Seek medical advice immediately. Rinse out mouth and give plenty of water to drink.	
2	Most important sympton	toms and effects, both acute and delayed	
		Headache	
3	Indication of any immediate medical attention and special treatment needed		
		Treat symptomatically. Forward this sheet to your doctor.	
EC	TION 5: Fire-fighting me	easures	
1	Extinguishing media		
	Suitable extinguishing m	nedia Foam, dry powder, water spray jet, carbon dioxide.	
	Extinguishing media that be used	t must not Full water jet.	
2	Special hazards arisin	ng from the substance or mixture	
		Risk of formation of toxic pyrolysis products. Carbon monoxide (CO)	
3	Advice for firefighters		
		Do not inhale explosion and/or combustion gases. Use self-contained breathing apparatus.	
		Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.	
		-	
EC	TION 6: Accidental relea	·	
-		·	

## 6.1 Personal precautions, protective equipment and emergency procedures

Some risk of slipping due to spillage of product. Forms slippery surfaces with water.

Ferdinand Bilstein GmbH + Co. KG Date printed 21.02.2023, Revision 21.02.2023



Version 12.0. Supersedes version: 11.0

Page 3 / 11

6.2	Environmental precautions	
		Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.
6.3	Methods and material for contain	nment and cleaning up
		Take up with absorbent material (e.g. oil binder). Dispose of absorbed material in accordance within the regulations.
6.4	Reference to other sections	
		See SECTION 8+13
SEC	TION 7: Handling and storage	
7.1	Precautions for safe handling	
	_	Avoid formation of aerosols. Use only in well-ventilated areas.
		The product is combustible.
		Do not eat, drink or smoke when using this product. After worktime and before work breaks the affected skin areas must be thoroughly cleaned. Use barrier skin cream. Take off contaminated clothing and wash before reuse. Contaminated work clothing should not be allowed out of the workplace. Cloths contaminated with product should not be kept in trouser pockets.
7.2	Conditions for safe storage, incl	uding any incompatibilities
		Keep only in original container. Prevent penetration into the ground.
		Do not store together with food and animal food/diet.
		Keep container in a well-ventilated place. Keep container tightly closed.
7.3	Specific end use(s)	
		See product use SECTION 1.2

See product use, SECTION 1.2

## Safety Data Sheet (UK REACH) (GB) automatic transmission fluid (ATF) Article number 34608, 38935, 38936, 38937

## Ferdinand Bilstein GmbH + Co. KG

Date printed 21.02.2023, Revision 21.02.2023



Page 4 / 11 Version 12.0. Supersedes version: 11.0

## **SECTION 8: Exposure controls / personal protection**

oral (food), 9.33 mg/kg food

#### **Control parameters** 8.1

Ingredients with occupational exposure limits to be monitored (GB)

not relevant

#### DNEL

PNEC

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1	
Industrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day	
Industrial, inhalative, Long-term - local effects, 5.58 mg/m <sup>3</sup>	
Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup>	
general population, inhalative, Long-term - systemic effects, 740 µg/kg bw/day	
general population, inhalative, Long-term - local effects, 1.19 mg/m <sup>3</sup>	
Substance	

#### 8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. General exposure limit for oil mist should be noted. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	Safety glasses. (EN 166:2001)
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. In full contact: > 0.4 mm: Nitrile rubber, >120 min (EN 374-1/-2/-3).
Skin protection	light protective clothing
Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Do not inhale gases/vapours/aerosols. Avoid contact with eyes and skin.
Respiratory protection	No special measures necessary.
Thermal hazards	No information available.
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

# Safety Data Sheet (UK REACH) (GB) automatic transmission fluid (ATF) Article number 34608, 38935, 38936, 38937

## Ferdinand Bilstein GmbH + Co. KG

Date printed 21.02.2023, Revision 21.02.2023



Version 12.0. Supersedes version: 11.0 Page 5 / 11

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

internation on baore physical and	enemiea prepertiee
Physical state	liquid
Form	liquid
Color	light brown
Odor	characteristic
Odour threshold	No information available.
pH-value	not applicable
pH-value [1%]	No information available.
Boiling point [°C]	not applicable
Flash point [°C]	200 (EN ISO 2592)
Flammability (solid, gas) [°C]	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	No information available.
Density [g/cm³]	0.84 15°C (DIN 51757)
Relative density	not determined
Bulk density [kg/m³]	not applicable
Solubility in water	immiscible
Solubility other solvents	No information available.
Partition coefficient [n-octanol/water]	No information available.
Kinematic viscosity	29.6 mm²/s (40°C) (DIN 53211/4)
Relative vapour density	No information available.
Evaporation speed	No information available.
Melting point [°C]	No information available.
Auto-ignition temperature [°C]	not applicable
Decomposition temperature [°C]	No information available.
Particle characteristics	No information available.

9.2 Other information

none

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reactions known if used as directed.

### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

#### 10.3 Possibility of hazardous reactions

No hazardous reactions known.

#### 10.4 Conditions to avoid

Strong heating.

Date printed 21.02.2023, Revision 21.02.2023



Version 12.0. Supersedes version: 11.0 Page 6 / 11

### 10.5 Incompatible materials

Oxidizing agent Strong basic compounds Strong acids.

#### **10.6 Hazardous decomposition products**

No hazardous decomposition products known.



Date printed 21.02.2023, Revision 21.02.2023

**SECTION 11: Toxicological information** 

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute oral toxicity

Product

oral, Based on the available information, the classification criteria are not fulfilled.

Substance Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1 LD50, oral, Rat, 5000 mg/kg bw

#### Acute dermal toxicity

Product

dermal, Based on the available information, the classification criteria are not fulfilled.

Substance

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1 LD50, dermal, Rabbit, 2000 - 5000 mg/kg bw

#### Acute inhalational toxicity

Product inhalative, Based on the available information, the classification criteria are not fulfilled.

Substance
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h

Serious eye damage/irritation	Based on the available information, the classification criteria are not fulfilled.
Skin corrosion/irritation	Based on the available information, the classification criteria are not fulfilled.
Respiratory or skin sensitisation	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — single exposure	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — repeated exposure	Based on the available information, the classification criteria are not fulfilled.
Substance	

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1	
NOAEL, dermal, Rat, 30 - 2000 mg/kg bw/day	
NOAEC, inhalative, Rat, 980 mg/m <sup>3</sup> air	
LOAEL, oral, Rat, 125 mg/kg bw/day	

Mutagenicity	Based on the available information, the classification criteria are not fulfilled.
Reproduction toxicity	Based on the available information, the classification criteria are not fulfilled.
Carcinogenicity	Based on the available information, the classification criteria are not fulfilled.
Aspiration hazard	Based on the available information, the classification criteria are not fulfilled.
General remarks	
	Toxicological data of complete product are not available. The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

## Safety Data Sheet (UK REACH) (GB) automatic transmission fluid (ATF) Article number 34608, 38935, 38936, 38937



## Ferdinand Bilstein GmbH + Co. KG

Date printed 21.02.2023, Revision 21.02.2023

#### 11.2 Information on other hazards

Endocrine disrupting properties	Contains no ingredients with endocrine-disrupting properties.
Other information	none

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Product Based on the available information, the classification criteria are not fulfilled.

Substance	
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1	
NOELR, (14d), fish, 1 g/L	
LL50, (4d), Invertebrates, 10 g/L	
LL50, (4d), fish, 100 mg/L	

#### 12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

#### 12.3 Bioaccumulative potential

No information available.

#### 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

#### 12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

#### 12.7 Other adverse effects

Ecological data of complete product are not available. Do not discharge product unmonitored into the environment or into the drainage.

# Safety Data Sheet (UK REACH) (GB) automatic transmission fluid (ATF) Article number 34608, 38935, 38936, 38937

## Ferdinand Bilstein GmbH + Co. KG

Date printed 21.02.2023, Revision 21.02.2023

**SECTION 13: Disposal considerations** 

#### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

	Product	
		In according to RoHS! Coordinate disposal with the authorities if necessary.
	Waste no. (recommended)	130205* mineral-based non-chlorinated engine, gear and lubricating oils
	Contaminated packaging	
		Uncontaminated packaging may be taken for recycling. Packaging that cannot be cleaned should be disposed of as for product.
	Waste no. (recommended)	150102 150104 150110* packaging containing residues of or contaminated by hazardous substances
SECTION 14: Transport information		
14.1	UN number or ID number	
	Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA not applicable	
14.2	UN proper shipping name	
	Transport by land according to ADR/RID	NO DANGEROUS GOODS
	Inland navigation (ADN)	NO DANGEROUS GOODS
	Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"
	Air transport in accordance with IATA	NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3	Transport hazard class(es) Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable

Air transport in accordance with IATA not applicable

## Safety Data Sheet (UK REACH) (GB) automatic transmission fluid (ATF) Article number 34608, 38935, 38936, 38937



## Ferdinand Bilstein GmbH + Co. KG

Date printed 21.02.2023, Revision 21.02.2023

14.4	Packing group Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.5	Environmental hazards Transport by land according to ADR/RID	no
	Inland navigation (ADN)	no
	Marine transport in accordance with IMDG	no
	Air transport in accordance with IATA	no
14.6	Special precautions for user	

Relevant information under SECTION 6 to 8.

## 14.7 Maritime transport in bulk according to IMO instruments

not applicable

## **SECTION 15: Regulatory information**

15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture		
	EEC-REGULATIONS	2008/98/EC 2000/532/EC); 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014	
	TRANSPORT-REGULATIONS	ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2023)	
	NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP.	
	- Observe employment restrictions for people	no	
	- VOC (2010/75/CE)	not relevant	
15.2 Chemical safety assessment			
		For this product a chemical safety assessment has not been carried out.	
SECTION 16: Other information			

#### 16.1 Hazard statements (SECTION 3)

H304 May be fatal if swallowed and enters airways.



Date printed 21.02.2023, Revision 21.02.2023

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

- IUCLID = International Uniform ChemicaL Information Database
- IVIS = In vitro irritation score
- LC50 = Lethal concentration, 50% LD50 = Median lethal dose
- LC0 = lethal concentration, 0%
- LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading

LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value - time-weighted average

TLV®STEL = Threshold limit value - short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

#### 16.3 Other information

**Classification procedure** 

Modified position

SECTION 11 been added: Contains no ingredients with endocrine-disrupting properties. SECTION 12 been added: Contains no ingredients with endocrine-disrupting properties.