# Ferdinand Bilstein GmbH + Co. KG

Date printed 23.02.2023, Revision 23.02.2023



Version 9.0. Supersedes version: 8.0

Page 1 / 13

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1 Product identifier

Gear oil 75W - 85 Article number: 48785 UFI: 1E3C-14DK-000X-JQK8

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Lubricant

1.2.2 Uses advised against

None known.

## Details of the supplier of the safety data sheet

Company Ferdinand Bilstein GmbH + Co. KG

Wilhelmstr. 47

58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com

Address enquiries to

**Technical information** info@febi.com Safety Data Sheet info@febi.com

1.4 Emergency telephone number

**Advisory body** +49 (0)89-19240 (24h) (English)

#### **SECTION 2: Hazards identification**

## Classification of the substance or mixture [REGULATION (GB) CLP]

Eye Irrit. 2: H319 Causes serious eye irritation.

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictograms

Signal word WARNING

**Hazard statements** H319 Causes serious eye irritation.

**Precautionary statements** P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children. P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice / attention.

P501 Dispose of contents / container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Other hazards 2.3

> **Environmental hazards** Does not contain any PBT or vPvB substances.

Contains no ingredients with endocrine-disrupting properties.

Other hazards No particular hazards known.

# **ebi**

#### Ferdinand Bilstein GmbH + Co. KG

Date printed 23.02.2023, Revision 23.02.2023

Version 9.0. Supersedes version: 8.0

Page 2 / 13

# **SECTION 3: Composition / Information on ingredients**

## 3.1 Substances

not applicable

#### 3.2 Mixtures

#### The product is a mixture.

Range [%]	Substance
20 - < 25	Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract)
	CAS: 64742-54-7, EINECS/ELINCS: 265-157-1, EU-INDEX: 649-467-00-8, Reg-No.: 01-2119484627-25-XXXX
	GHS/CLP: Asp. Tox. 1: H304
1 -< 4.59	Polysulfides, di-tert-Bu
	CAS: 68937-96-2, EINECS/ELINCS: 273-103-3, Reg-No.: 01-2119540515-43
	GHS/CLP: Skin Sens. 1B: H317 - Aquatic Chronic 3: H412
	SCL [%]: >= 46: Skin Sens. 1B: H317
1 - < 3	Phosphoric acid esters, amine salt
	EINECS/ELINCS: 942-466-6
	GHS/CLP: Eye Dam. 1: H318
0.1 - < 0.25	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol
	CAS: 95-38-5, EINECS/ELINCS: 202-414-9, Reg-No.: 01-2119777867-13-XXXX
	GHS/CLP: Acute Tox. 4: H302 - Skin Corr. 1B: H314 - STOT RE 2: H373 - Aquatic Acute 1: H400 - Aquatic Chronic 1: H410,
	M-Factor (acute): 10, M-Factor (chronic): 1

Comment on component parts Contains less than 3% w/w DMSO-extract (only for mineral oils)

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

For full text of H-statements: see SECTION 16.

# **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

General information Change soaked clothing.

**Inhalation** Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

Skin contact In case of contact with skin wash off immediately with soap and water.

Consult a doctor if skin irritation persists.

**Eye contact** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Ingestion Do not induce vomiting.

Consult a doctor immediately.

Rinse out mouth and give plenty of water to drink.

# 4.2 Most important symptoms and effects, both acute and delayed

No information available.

# 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Forward this sheet to your doctor.

# **SECTION 5: Fire-fighting measures**

# 5.1 Extinguishing media

Suitable extinguishing media Foam, dry powder, water spray jet, carbon dioxide.

Extinguishing media that must not

be used

Full water jet.

#### Ferdinand Bilstein GmbH + Co. KG

Date printed 23.02.2023, Revision 23.02.2023



Version 9.0. Supersedes version: 8.0 Page 3 / 13

# 5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

Nitrogen oxides (NOx).

#### 5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

Cool containers at risk with water spray jet.

## **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Some risk of slipping due to spillage of product.

Forms slippery surfaces with water.

#### 6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).

Do not discharge into the drains/surface waters/groundwater.

# 6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. oil binder).

Dispose of absorbed material in accordance within the regulations.

#### 6.4 Reference to other sections

See SECTION 8+13

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

No special measures necessary if used correctly.

Use only in well-ventilated areas. Use solvent-resistant equipment.

The product is combustible.

Do not eat, drink or smoke when using this product.

After worktime and before work breaks the affected skin areas must be thoroughly cleaned.

Use barrier skin cream.

Contaminated work clothing should not be allowed out of the workplace.

Take off contaminated clothing and wash before reuse.

Cloths contaminated with product should not be kept in trouser pockets.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with oxidizing agents.

Keep container in a well-ventilated place.

Keep container tightly closed.

# 7.3 Specific end use(s)

See product use, SECTION 1.2

# ebi bilstein

# Ferdinand Bilstein GmbH + Co. KG

Date printed 23.02.2023, Revision 23.02.2023

Version 9.0. Supersedes version: 8.0

Page 4 / 13

# SECTION 8: Exposure controls / personal protection

# 8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

Substance

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract)

CAS: 64742-54-7, EINECS/ELINCS: 265-157-1, EU-INDEX: 649-467-00-8, Reg-No.: 01-2119484627-25-XXXX

Long-term exposure: 5 mg/m³, oil mist

Short-term exposure (15-minute): 10 mg/m³

Industrial, inhalative, Long-term - systemic effects, 0.46 mg/m³

## **DNEL**

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
Industrial, dermal, Long-term - systemic effects, 970 μg/kg bw/day
Industrial, inhalative, Long-term - local effects, 5.58 mg/m³
Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m³
general population, oral, Long-term - systemic effects, 740 μg/kg bw/day
general population, inhalative, Long-term - local effects, 1.19 mg/m³
Polysulfides, di-tert-Bu, CAS: 68937-96-2
Industrial, dermal, Long-term - systemic effects, 3.33 mg/kg bw/day
Industrial, inhalative, Long-term - systemic effects, 14.5 mg/m³
general population, dermal, Long-term - systemic effects, 1.66 mg/kg bw/day
general population, inhalative, Long-term - systemic effects, 2.6 mg/m³
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol, CAS: 95-38-5
Industrial, dermal, Acute - systemic effects, 2 mg/kg bw/day 2 mg/kg bw/day
Industrial, dermal, Long-term - systemic effects, 0.06 mg/kg bw/day
Industrial, inhalative, Acute - systemic effects, 14 mg/m³

# **PNEC**

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7	
oral (food), 9.33 mg/kg	
Polysulfides, di-tert-Bu, CAS: 68937-96-2	
soil, 1513 mg/kg soil dw 4.51 mg/L	
sediment (seawater), 0.094 mg/kg sediment dw 4.51 mg/L	
sediment (freshwater), 0.94 mg/kg sediment dw 4.51 mg/L	
sewage treatment plants (STP), 4.51 mg/L 4.51 mg/L	
seawater, 0.024 µg/L	
freshwater, 0.24 µg/L	
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol, CAS: 95-38-5	
soil, 75 μg/kg soil dw	
sediment (seawater), 37.6 µg/kg sediment dw	
sediment (freshwater), 376 μg/kg sediment dw	



## Ferdinand Bilstein GmbH + Co. KG

Date printed 23.02.2023, Revision 23.02.2023

Version 9.0. Supersedes version: 8.0

Page 5 / 13

sewage treatment plants (STP), 270 µg/L

seawater, 3 ng/L

freshwater, 30 ng/L

8.2 Exposure controls

Additional advice on system design 
Ensure adequate ventilation on workstation.

General exposure limit for oil mist should be noted.

Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

**Eye protection** Safety glasses. (EN 166:2001)

**Hand protection** The details concerned are recommendations. Please contact the glove supplier for further

information

> 0.4 mm: Nitrile rubber, >120 min (EN 374-1/-2/-3).

**Skin protection** Light protective clothing.

Other Personal protective equipment should be selected specifically for the working place,

depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

Do not inhale gases/vapours/aerosols. Avoid contact with eyes and skin.

**Respiratory protection** Breathing apparatus in the event of aerosol or mist formation.

Short term: filter apparatus, combination filter A-P1. (DIN EN 14387)

Thermal hazards No information available.

Delimitation and monitoring of the

environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.

# ebi bilstein

#### Ferdinand Bilstein GmbH + Co. KG

Date printed 23.02.2023, Revision 23.02.2023

Version 9.0. Supersedes version: 8.0

Page 6 / 13

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Physical stateliquidFormliquidColorbrownOdorcharacteristic

Odour threshold No information available.

pH-value not applicablepH-value [1%] not applicableBoiling point [°C] not applicable

Flash point [°C] 215

Flammability (solid, gas) [°C] Not explosive.

Lower explosion limit not self-igniting

Upper explosion limit not applicable

Oxidising properties no

Vapour pressure/gas pressure [kPa] No information available.

Density [g/cm³] 0.85 (DIN 51757) (15 °C / 59,0 °F)

Relative density not determined

Bulk density [kg/m³] not applicable

Solubility in water immiscible

Solubility other solvents

Partition coefficient [n-octanol/water]

Kinematic viscosity

Relative vapour density

Evaporation speed

Melting point [°C]

No information available.

No information available.

No information available.

Auto-ignition temperature [°C] not applicable

Decomposition temperature [°C] No information available.

Particle characteristics No information available.

# 9.2 Other information

No information available.

## **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

See SECTION 10.3.

## 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

# 10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents. Reactions with strong alkalies. Reactions with strong acids.

#### 10.4 Conditions to avoid

Strong heating.

# Ferdinand Bilstein GmbH + Co. KG

Date printed 23.02.2023, Revision 23.02.2023



Version 9.0. Supersedes version: 8.0

Page 7 / 13

# 10.5 Incompatible materials

Strong oxidizing agent. Strong basic compounds Strong acids.

# 10.6 Hazardous decomposition products

No hazardous decomposition products known.

#### Ferdinand Bilstein GmbH + Co. KG

Date printed 23.02.2023, Revision 23.02.2023

Version 9.0. Supersedes version: 8.0

Page 8 / 13

# **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute oral toxicity

Product

oral, Based on the available information, the classification criteria are not fulfilled.

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

LD50, oral, Rat, 5000 mg/kg bw

Polysulfides, di-tert-Bu, CAS: 68937-96-2

LD0, oral, Rat, 2000 mg/kg bw (OECD 401)

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol, CAS: 95-38-5

LD50, oral, Rat, 1265 mg/kg

#### Acute dermal toxicity

Product

dermal, Based on the available information, the classification criteria are not fulfilled.

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

LD50, dermal, Rabbit, 2000 - 5 00 mg/kg bw

Polysulfides, di-tert-Bu, CAS: 68937-96-2

LD0, dermal, Rat, 2000 mg/kg bw (OECD 402)

## Acute inhalational toxicity

inhalative, Based on the available information, the classification criteria are not fulfilled.

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h

Serious eye damage/irritation Toxicological data of complete product are not available.

Irritant

Calculation method

Skin corrosion/irritation Based on the available information, the classification criteria are not fulfilled.

Respiratory or skin sensitisation Based on the available information, the classification criteria are not fulfilled. Based on the available information, the classification criteria are not fulfilled. Specific target organ toxicity —

single exposure

Specific target organ toxicity repeated exposure

Based on the available information, the classification criteria are not fulfilled.

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

NOAEL, dermal, Rabbit, 1000 mg/kg bw/day

NOAEL, dermal, Rat, 30 - 2000 mg/kg bw/day

NOAEC, inhalative, Rat, 980 mg/m3 air

LOAEL, oral, Rat, 125 mg/kg bw/day

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol, CAS: 95-38-5

# ebi bilstein

#### Ferdinand Bilstein GmbH + Co. KG

Date printed 23.02.2023, Revision 23.02.2023

Version 9.0. Supersedes version: 8.0

Page 9 / 13

NOAEL, oral, Rat, 20 mg/kg bw/day

MutagenicityBased on the available information, the classification criteria are not fulfilled.Reproduction toxicityBased on the available information, the classification criteria are not fulfilled.

- Fertility

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

NOAEL, oral, Rat, 1000 mg/kg bw/d (Effect on fertility), no adverse effect observed

## - Development

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

NOAEL, oral, Rat, 1000 mg/kg bw/d (Effect on fertility), no adverse effect observed

CarcinogenicityBased on the available information, the classification criteria are not fulfilled.Aspiration hazardBased on the available information, the classification criteria are not fulfilled.

**General remarks** 

Toxicological data of complete product are not available.

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

11.2 Information on other hazards

Endocrine disrupting properties Contains no ingredients with endocrine-disrupting properties.

Other information none

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Product

Based on the available information, the classification criteria are not fulfilled.

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

EL50, (48h), Invertebrates, 10 g/L

NOELR, (14d), fish, 1 mg/L

LL50, (96h), Invertebrates, 10 g/L

LL50, (96h), fish, 100 mg/L

Polysulfides, di-tert-Bu, CAS: 68937-96-2

LC50, (96h), Danio rerio, >0.088 mg/L (OECD 203)

EC50, (72h), Pseudokirchneriella subcapitata, 2.45 mg/L (OECD 201)

EC50, (24h), Daphnia magna, >0.27 mg/L (OECD 202)

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol, CAS: 95-38-5

EC50, (72h), Algae, 16.9 - 30 μg/L

EC50, (48h), Invertebrates, 163 µg/L

LC0, (96h), fish, 180 µg/L

# **ebi**

#### Ferdinand Bilstein GmbH + Co. KG

Date printed 23.02.2023, Revision 23.02.2023

Version 9.0. Supersedes version: 8.0

Page 10 / 13

## 12.2 Persistence and degradability

Behaviour in environment

not determined

compartments

not determined

Behaviour in sewage plant Biological degradability

not determined

## 12.3 Bioaccumulative potential

No information available.

# 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

## 12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

## 12.7 Other adverse effects

Ecological data of complete product are not available.

Do not discharge product unmonitored into the environment or into the drainage.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

## **Product**

In according to RoHS!

Disposal in an incineration plant in accordance with the regulations of the local authorities.

Waste no. (recommended) 130208\*

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150110\* packaging containing residues of or contaminated by hazardous substances

# **SECTION 14: Transport information**

#### 14.1 UN number or ID number

Transport by land according to

not applicable

ADR/RID

Inland navigation (ADN) not applicable

Marine transport in accordance with

IMDG

not applicable

Air transport in accordance with IATA not applicable

# Ferdinand Bilstein GmbH + Co. KG

Date printed 23.02.2023, Revision 23.02.2023



Version 9.0. Supersedes version: 8.0 Page 11 / 13

14.2 UN proper shipping name

Transport by land according to

ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN)

NO DANGEROUS GOODS

**IMDG** 

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with not applicable

**IMDG** 

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to

not applicable

ADR/RID

Inland navigation (ADN) not applicable

Marine transport in accordance with not applicable

**IMDG** 

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to

ADR/RID

no

Inland navigation (ADN)

no

Marine transport in accordance with no

**IMDG** 

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

# Ferdinand Bilstein GmbH + Co. KG

Date printed 23.02.2023, Revision 23.02.2023



Version 9.0. Supersedes version: 8.0 Page 12 / 13

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**EEC-REGULATIONS** 2008/98/EC 2000/532/EC); 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006

(REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131;

(EU) 517/2014

TRANSPORT-REGULATIONS ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2023)

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK

REACH; GB CLP.

- Observe employment restrictions

for people

Observe employment restrictions for mothers-to-be and nursing mothers. Observe

employment restrictions for young people.

- VOC (2010/75/CE) not relevant

## 15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

#### 16.1 Hazard statements (SECTION 3)

H304 May be fatal if swallowed and enters airways.

H318 Causes serious eye damage.

H410 Very toxic to aquatic life with long lasting effects.

H400 Very toxic to aquatic life.

H373 May cause damage to organs through prolonged or repeated exposure.

H314 Causes severe skin burns and eye damage.

H302 Harmful if swallowed.

H412 Harmful to aquatic life with long lasting effects.

H317 May cause an allergic skin reaction.

#### Ferdinand Bilstein GmbH + Co. KG

Date printed 23.02.2023, Revision 23.02.2023



Version 9.0. Supersedes version: 8.0 Page 13 / 13

#### 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level
EC50 = Median effective concentration
ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

IVIS = In vitro irritation score LC50 = Lethal concentration, 50% LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

# 16.3 Other information

Classification procedure Eye Irrit. 2: H319 Causes serious eye irritation. (Calculation method)

**Modified position** SECTION 11 been added: Contains no ingredients with endocrine-disrupting properties.

SECTION 12 been added: Contains no ingredients with endocrine-disrupting properties.