

# SWAG Autoteile GmbH 42117 Wuppertal

Date printed 20.02.2014, Revision 20.02.2014

Version 04. Supersedes version: 03

Page 1 / 9

### SECTION 1: Identification of the substance / preparation and of the company

1.1 Product identifier

SWAG 30 91 2710 antifreeze

Article number 99 90 1381, 32 92 2274, 32 92 2272, 30 93 3830, 30 91

2710

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Anti-freezing agents

1.2.2 Uses advised against

None known.

.3 Details of the supplier of the safety data sheet

Company SWAG Autoteile GmbH

Am Kiesberg 4-6

42117 Wuppertal / GERMANY Phone +49 (0)202 26454-0 Fax +49 (0)202 26454-5000 Homepage www.swag.de E-mail info@swag.de

Address enquiries to

Technical information info@swag.de Safety Data Sheet info@swag.de

1.4 Emergency phone

**Advisory body** +49 (0)89-19240 (24h) (english)

**Company** +49 (0)202 26454-0

**SECTION 2: Hazards identification** 

2.1 Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008 [CLP]

see SECTION 16

2.1.2 Classification according to Regulation 67/548/EEC or 1999/45/EC

Xn, Harmful - R 22: Harmful if swallowed.

2.2 Label elements

The product is classified and required to be labelled in accordance with EC-Directives

Labelling according to Regulation 67/548/EEC or 1999/45/EC

**Hazard symbols** 

Harmful

Contains: Ethylene glycol

**R-phrases** R 22: Harmful if swallowed.

**S-phrases** S 2: Keep out of the reach of children.

S 46: If swallowed, seek medical advice immediately and show this container or label.

2.3 Other hazards

Physico-chemical hazards No particular hazards known.

**Human health dangers** If swallowed or in the event of vomiting, risk of product entering the lungs.

Frequent persistent contact with the skin can cause skin irritation.

Other hazards none



# SWAG Autoteile GmbH 42117 Wuppertal

Date printed 20.02.2014, Revision 20.02.2014

Version 04. Supersedes version: 03

Page 2 / 9

### **SECTION 3: Composition / Information on ingredients**

#### Product-type:

The product is a mixture.

Range [%]	Substance
85 - 90	Ethylene glycol
	CAS: 107-21-1, EINECS/ELINCS: 203-473-3, EU-INDEX: 603-027-00-1
	GHS/CLP: Acute Tox. 4: H302
	EEC: Xn, R 22
1 - <5	Sodium 2-ethylhexanoate
	CAS: 19766-89-3, EINECS/ELINCS: 243-283-8
	GHS/CLP: Repr. 2: H361d
	EEC: Xn, R 63

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0,1%.

For full text of H-statements and R-phrases: see SECTION 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General information Change soaked clothing.

**Inhalation** Ensure supply of fresh air.

In the event of symptoms seek for medical treatment.

Skin contact In case of contact with skin wash off immediately with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

**Ingestion** Consult a doctor immediately.

Rinse out mouth and give plenty of water to drink.

Do not induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

Headache

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

If swallowed or in the event of vomiting, risk of product entering the lungs.

Forward this sheet to the doctor.

# **SECTION 5: Fire-fighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media Carbon dioxide.

Water spray jet. Dry powder. Foam.

Extinguishing media that must not

be used

Full water jet.

# 5.2 Special hazards arising from the substance or mixture

Unknown risk of formation of toxic pyrolysis products.

Carbon monoxide (CO)

### 5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

# SWAG® GERMANY

# SWAG Autoteile GmbH 42117 Wuppertal

Date printed 20.02.2014, Revision 20.02.2014

Version 04. Supersedes version: 03

Page 3 / 9

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.

Forms slippery surfaces with water.

#### 6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).

Do not discharge into the drains/surface waters/groundwater.

#### 6.3 Methods and material for containment and cleaning up

Pick up with absorbent material (e.g. sand, sawdust, universal absorbent, diatomaceous

earth).

Dispose of absorbed material in accordance within the regulations.

#### 6.4 Reference to other sections

See SECTION 8+13

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Use only in well-ventilated areas.

Remove soiled or soaked clothing immediately.

Do not eat, drink, smoke or take drugs at work.

Use barrier skin cream.

Wash hands before breaks and after work.

Cloths contaminated with product should not be kept in trouser pockets.

Contaminated work clothing should not be allowed out of the workplace.

Take off contaminated clothing and wash before reuse.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with oxidizing agents.

Do not store together with food and animal food/diet.

Keep container tightly closed.

Keep container in a well-ventilated place.

#### 7.3 Specific end use(s)

See product use, SECTION 1.2



# SWAG Autoteile GmbH 42117 Wuppertal

Date printed 20.02.2014, Revision 20.02.2014

Version 04. Supersedes version: 03

#### Page 4 / 9

# SECTION 8: Exposure controls / personal protection

#### 8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

Range [%]	Substance
85-90	Ethylene glycol
	CAS: 107-21-1, EINECS/ELINCS: 203-473-3, EU-INDEX: 603-027-00-1, ECB-Nr.: 01-2119456816-28-XXXX
	Long-term exposure: 20 ppm, 52 mg/m³, Vapour, particulate: 10 mg/m³
	Short-term exposure (15-minute): 40 ppm, 104 mg/m <sup>3</sup>

# Ingredients with occupational exposure limits to be monitored (EU)

•	
Range [%]	Substance / EC LIMIT VALUES
85-90	Ethylene glycol
	CAS: 107-21-1, EINECS/ELINCS: 203-473-3, EU-INDEX: 603-027-00-1, ECB-Nr.: 01-2119456816-28-XXXX
	Eight hours: 20 ppm, 52 mg/m³, H
	Short-term (15-minute): 40 ppm, 104 mg/m³

#### 8.2 Exposure controls

Additional advice on system design 
Ensure adequate ventilation on workstation.

**Eye protection** Safety glasses.

Hand protection The details concerned are recommendations. Please contact the glove supplier for further

information.

Nitrile rubber, >480 min (EN 374).

**Skin protection** Light protective clothing.

Other Avoid contact with eyes and skin.

Do not inhale vapours.

Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of these equipments to chemicals should be ascertained with the respective

supplier.

**Respiratory protection** Breathing apparatus in the event of high concentrations.

Short term: filter apparatus, combination filter A-P2.

Thermal hazards

Delimitation and monitoring of the

environmental exposition

See SECTION 6+7.

No information available.



# SWAG Autoteile GmbH 42117 Wuppertal

Date printed 20.02.2014, Revision 20.02.2014

Version 04. Supersedes version: 03

Page 5 / 9

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Form liquid Color red

Odor characteristic
Odour threshold not determined
pH-value 7,5-9 (33%)
pH-value [1%] not determined

Boiling point [°C] 120

Flash point [°C] > 110 (DIN 51758) Flammability [°C] > 400 (DIN 51794)

Lower explosion limit ~3,2 Vol.% Upper explosion limit ~15,3 Vol.%

Oxidizing properties no

 Vapour pressure/gas pressure [kPa]
 < 0,01 (20°C)</td>

 Density [g/ml]
 1,12 (DIN 51757)

 Bulk density [kg/m³]
 not applicable

 Solubility in water
 miscible

 Partition coefficient [n-octanol/water]
 not determined

Viscosity 15 mm<sup>2</sup>/s (20°C) (DIN 51562/T1)

Relative vapour density determined

n air

not determined

Evaporation speed not determined

Melting point [°C] not determined

Autoignition temperature [°C] not applicable

Decomposition temperature [°C] not determined

9.2 Other information

none

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reactions known if used as directed.

# 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

# 10.3 Possibility of hazardous reactions

Reactions with acids, alkalies and oxidizing agents.

### 10.4 Conditions to avoid

See SECTION 7.2. Strong heating.

# 10.5 Incompatible materials

not determined

### 10.6 Hazardous decomposition products

No hazardous decomposition products known.



# **SWAG Autoteile GmbH** 42117 Wuppertal

Date printed 20.02.2014, Revision 20.02.2014

Version 04. Supersedes version: 03

#### Page 6 / 9

### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### **Acute toxicity**

	Range [%]	Substance
85 - 90 Ethylene glycol, CAS: 107-21-1  LD50, oral, Rat: > 2000 mg/kg (IUCLID).		Ethylene glycol, CAS: 107-21-1
		LD50, oral, Rat: > 2000 mg/kg (IUCLID).

Serious eye damage/irritation not determined Skin corrosion/irritation not determined Respiratory or skin sensitisation not determined Specific target organ toxicity not determined

single exposure

Specific target organ toxicity —

not determined

repeated exposure

Mutagenicity not determined Reproduction toxicity not determined Carcinogenicity not determined

General remarks Frequent persistent contact with the skin can cause skin irritation.

The product was classified on the basis of the calculation procedure of the preparation

directive.

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

	Range [%]	Substance
	85 - 90	Ethylene glycol, CAS: 107-21-1
LC50, (96h),		LC50, (96h), Oncorhynchus mykiss: > 18500 mg/l.
		EC50, (24h), Daphnia magna: 74000 mg/l.

## 12.2 Persistence and degradability

Behaviour in environment

not determined

compartments

Behaviour in sewage plant not determined **Biological degradability** not determined

#### 12.3 Bioaccumulative potential

No information available.

# 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

#### 12.6 Other adverse effects

No classification on the basis of the calculation procedure of the preparation directive.

Ecological data of complete product are not available.

Do not discharge product unmonitored into the environment or into the drainage.

The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.



# **SWAG Autoteile GmbH** 42117 Wuppertal

Date printed 20.02.2014, Revision 20.02.2014

Version 04. Supersedes version: 03

Page 7 / 9

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

**Product** 

Dispose of as hazardous waste.

Disposal in an incineration plant in accordance with the regulations of the local authorities.

Waste no. (recommended)

160114\*

Contaminated packaging

Packaging that cannot be cleaned should be disposed of as for product.

Uncontaminated packaging may be taken for recycling.

Waste no. (recommended)

150110\* 150102

### **SECTION 14: Transport information**

#### 14.1 UN number

See SECTION 14.2 in accordance with UN shipping name

### 14.2 UN proper shipping name

Transport by land according to

NO DANGEROUS GOODS

ADR/RID

**IMDG** 

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

# 14.3 Transport hazard class(es)

See SECTION 14.2 in accordance with UN shipping name

#### 14.4 Packing group

See SECTION 14.2 in accordance with UN shipping name

### 14.5 Environmental hazards

See SECTION 14.2 in accordance with UN shipping name

#### 14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

# 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

not applicable

# SWAG® GERMANY

# SWAG Autoteile GmbH 42117 Wuppertal

Date printed 20.02.2014, Revision 20.02.2014

Version 04. Supersedes version: 03

Page 8 / 9

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**EEC-REGULATIONS** 1967/548 (1999/45); 1991/689 (2001/118); 1999/13; 2004/42; 648/2004; 1907/2006 (Reach);

1272/2008; 75/324/EEC (2008/47/EC); 453/2010/EC

TRANSPORT-REGULATIONS DOT-Classification, ADR (2013); IMDG-Code (2013, 36. Amdt.); IATA-DGR (2013).

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011).

CHIP 3/ CHIP 4

- Observe employment restrictions

for people

Observe employment restrictions for mothers-to-be and nursing mothers. Observe

employment restrictions for young people.

- VOC (1999/13/CE) 0

15.2 Chemical safety assessment

not applicable

#### **SECTION 16: Other information**

#### 16.1 Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard pictograms

**(!)** 

Signal word WARNING

Acute Tox. 4: H302 Harmful if swallowed.

Repr. 2: H361d Suspected of damaging the unborn child.

Classification procedure Classification according to conversion table Annex VII 1272/2008/EC

16.2 R-phrases (SECTION 3)

R 22: Harmful if swallowed.

R 63: Possible risk of harm to the unborn child.

16.3 Hazard statements (SECTION 3)

H361d Suspected of damaging the unborn child.

H302 Harmful if swallowed.

## 16.4 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par

Route

RID = Règlement concernant le transport international ferroviaire de marchandises

dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par

voie de navigation intérieure

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

ELINCS = European List of Notified Chemical Substances

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods IUCLID = International Uniform ChemicaL Information Database

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

TLV®/TWA = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative



# SWAG Autoteile GmbH 42117 Wuppertal

Date printed 20.02.2014, Revision 20.02.2014

Version 04. Supersedes version: 03

Page 9 / 9

#### 16.5 Other information

**Modified position** 

SECTION 2 been added: The product is classified and required to be labelled in accordance

with EC-Directives

SECTION 2 been added: H361d Suspected of damaging the unborn child.

SECTION 2 been added: Gesundheitsgefahr

SECTION 2 been added: Repr. 2

SECTION 4 been added: Forward this sheet to the doctor.

SECTION 4 been added: If eye irritation persists: Get medical advice/attention.

SECTION 4 been added: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

SECTION 7 been added: Take off contaminated clothing and wash before reuse.

SECTION 7 been added: Contaminated work clothing should not be allowed out of the

workplace.

SECTION 7 been added: Cloths contaminated with product should not be kept in trouser

pockets.

SECTION 10 been added: Strong heating.
SECTION 15 been added: 1 (self-classification)

SECTION 15 deleted: 3, gem. VwVwS vom 27.07.2005